

HUS266INBM - 266lt INTEGRATED FRIDGE

- i** • Inverted fridge/freezer
- Integrated design
- Tempered glass shelves
- Fresh cooling system - maintains an even temperature to 1°C variance
- Humidity controlled crisper
- Wine shelf
- Sliding temperature control
- Larger storage drawers
- Reversible door
- No Frost
- 3 Year Warranty



Specifications


MODEL	HUS-266INBM
Gross Total Capacity (Litres)	266lt
Net Total Capacity (Litres)	241lt
Fridge capacity	182lt
Freezer capacity	77lt
Performance	
Energy Efficiency	2 stars
Energy Consumption	432 kWh/year
Climate Class	N-ST-T
Rated Current	0.8A
Rated Voltage/Frequency	220~240V/50Hz
Rated Power (W)	85
FEATURES	
Temperature Control	Sliding control
Shelves	3 tempered glass shelves
Reversible Door	Yes
Refrigerant	R600a, 43g
Foaming agent	Cyclopentane
Defrost	No Frost
Dimensions	
Net External HxWxD (mm)	1785 x 540 x 545
Cut-out dimensions HxWxD (mm)	1775 x 576 x 560
Power cable length	2 metres
Gross Weight (kgs)	62
Net Weight (kgs)	56.6

3 YEAR WARRANTY

HUS266INBM - 266lt INTEGRATED FRIDGE

Cabinet Dimensions

266L Integrated Fridge/Freezer - HUS266INBM



3 YEAR WARRANTY

HUS266INBM - 266lt INTEGRATED FRIDGE

Panel Door Integration


266L Integrated Fridge/Freezer - HUS-266INBM

Door sizes:

Fridge: 1090x604

Freezer: 710x604

Door Hinge: 35mm, Full Overlay x 4pc



3 YEAR WARRANTY

HUS266INBM - 266lt INTEGRATED FRIDGE

Cabinet Ventilation

266L Integrated Fridge/Freezer - HUS-266INBM


The following represent the alternate ways that Husky integrated appliances can be installed to ensure correct ventilation requirements are achieved.

Arrows denote airflow from ventilation entry to exit points.


*Ceiling spaces and bulkheads must be well ventilated.

Overhead cupboards if installed above fridge cabinets must allow for unobstructed 400x50mm airflow above and behind cabinets to not restrict airflow. Under cabinet space should provide a vented opening to maintain correct inlet ventilation.

Venting Above Cabinet



Venting into Ceiling Space/ Venting at top of Cabinet



3 YEAR WARRANTY

HUS266INBM - 266lt INTEGRATED FRIDGE

Cabinet Cut List

266L Integrated Fridge/Freezer – HUS-266INBM

CABINET CUT LIST

16mm

Top & Bottom Panel

560x576mm E1L

Cutout centered section on rear side for ventilation 400x60mm

Side Panels (2)

1808x608mm E1L

Back

1808x608mm NE

Cutout centered section on short sides (top and Bottom) for vent 400x60mm

Door Fridge (Top)

1090x604mm EA4

Door Freezer (Bottom)

710x604mm EA4

Kick Rail

608 x 125

(Cut inset to fit Vent panel)

3 YEAR WARRANTY